

Sensor checklist

2022



Installation address

Rue Bâtis de Couvère, 6 B-S336 Couvrière

Customer name

Château de Couvrière

Contract number

Street

Postal code

Annual

DÉTECTION INCENDIE

FERME

GITE

Date/Name/Signature (technical person)/inspected by group lead

Date/Name/Signature (technical person)/inspected by group lead

Installation address

Customer name

Street

Contract number

Postal code

Annual

Sensor checklist

2022

Sensor type	Physical address	LSN type	Detector name	Logical group	Sub-address	Label	Remark	Floor No.	Qtr1	Qtr2	Qtr3	Qtr4
Point	0.0.0.0	Non - LSN Type	Input (MPC Panel Controller)	0	0							
Point	0.0.0.0	Non - LSN Type	Input (MPC Panel Controller)	0	0							
Point	3.1.1.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	33	1	DET Ferme SUD - Cave		-1				
Point	3.1.2.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	33	2	Ferme SUD - Cave		-1				
Point	3.1.3.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	33	3	Ferme SUD - Cave		-1				
Point	3.1.4.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	54	1	Gîte - Cave		-1				
Point	3.1.5.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	54	2	Gîte - Cave		-1				
Point	3.1.6.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	54	3	Gîte - Cave		-1				
Point	3.1.7.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	54	4	Gîte - Cave		-1				
Point	3.1.8.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	50	2	Gîte - Hall d'entrée RDC		0				

Sensor checklist

2022



BOSCH

Contract number

Street

Customer name

Sensor type	Physical address	LSN type	Detector name	Logical group	Sub-address	Label	Remark	Floor No.	Qtr1	Qtr2	Qtr3	Qtr4
Point	3.1.9.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	55	1	Gîte - Salle à manger RDC						
Point	3.1.10.0	Stub (style 4)	FAH-T420/425 - Heat detector	56	1	Gîte - Cuisine RDC						
Point	3.1.11.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	57	1	Gîte - Salon RDC						
Point	3.1.12.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	58	1	Gîte - Bureau RDC						
Point	3.1.13.0	Stub (style 4)	FAH-T420/425 - Heat detector	34	1	Ferme SUD - Cuisine RDC						
Point	3.1.14.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	35	1	Ferme SUD - TD cuisine TDC						
Point	3.1.15.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	30	2	Ferme SUD - Hall RDC						
Point	3.1.16.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	36	1	Ferme SUD - Etable RDC						
Point	3.1.17.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	36	2	Ferme SUD - Etable RDC						
Point	3.1.18.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	37	1	Ferme SUD - Tour RDC						
Point	3.1.19.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	13	1	Ferme OUEST - Salle poulou RDC						
Point	3.1.20.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	12	2	Ferme OUEST - Etable Ecure						
Point	3.1.21.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	12	3	Ferme OUEST - Etable Ecure						

Sensor checklist

2022



BOSCH

Contract number

Street

Customer name

Sensor type	Physical address	LSN type	Detector name	Logical group	Sub-address	Label	Remark	Floor No.	Qtr1	Qtr2	Qtr3	Qtr4
Point	3.1.22.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	12	4	Ferme OUEST - Etable - Etable						
Point	3.1.23.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	12	5	Ferme OUEST - Etable - Etable						
Point	3.2.24.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	30	3	Ferme SUD - Escalier Hall RDC	Quest?					
Point	4.1.23.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	59	1	Gîte - Local électrique						
Point	4.1.24.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	60	1	Gîte - Tableau électrique						
Point	4.1.21.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	61	1	Gîte - Hall +1						
Point	4.1.20.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	62	1	Gîte - Salon +1						
Point	4.1.17.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	62	2	Gîte - Salon +1						
Point	4.1.16.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	63	1	Gîte - Dégagement +1						
Point	4.1.19.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	64	1	Gîte - Chambre 1.4 +1						
Point	4.1.15.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	63	2	Gîte - Dégagement +1						
Point	4.1.14.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	65	1	Gîte - Chambre 1.6 +1						
Point	4.1.35.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	22	1	Ferme OUEST - Hall +2						

Sensor type	Physical address	LSN type	Detector name	Logical group	Sub-address	Label	Remark	Floor No.	Qtr1	Qtr2	Qtr3	Qtr4
Point	4.1.1.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	21	1	Ferme OUEST - Hall RDC						
Point	4.1.41.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	21	2	Ferme OUEST - Hall RDC escalier						
Point	4.1.42.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	21	3	Ferme OUEST - Hall RDC						
Point	4.2.13.0	Stub (style 4)	FAH-T420/425 - Heat detector	38	1	Ferme SUD - Sanitaires +1						
Point	4.2.12.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	39	1	Ferme SUD - WC +1						
Point	4.2.11.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	40	1	Ferme SUD - Chambre FS11 +1						
Point	4.2.10.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	41	1	Ferme SUD - Couloir chambre +1						
Point	4.2.31.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	42	1	Ferme SUD - Chambre FS22 +2						
Point	4.2.9.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	43	1	Ferme SUD - Chambre FS12 +1						
Point	4.2.8.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	44	1	Ferme SUD - Chambre FS13 +1						
Point	4.2.7.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	45	1	Ferme SUD - Tour +1						
Point	4.2.18.0	Stub (style 4)	FAH-T420/425 - Heat detector	66	1	Gîte - Cuisine +1						
Point	4.2.28.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	67	1	Gîte - Chambre G21						

Sensor checklist

2022



BOSCH

Contract number

Street

Customer name

Sensor type	Physical address	LSN type	Detector name	Logical group	Sub-address	Label	Remark	Floor No.	Qtr1	Qtr2	Qtr3	Qtr4
Point	4.2.27.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	68	1	Gîte - Hall +2						
Point	4.2.26.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	69	1	Gîte - Couloir chambre +2						
Point	4.2.25.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	70	1	Gîte - Chambre G22						
Point	4.2.22.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	71	1	Gîte - Chambre L23						
Point	4.2.30.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	72	1	Gîte - Grenier +2 <i>Charge</i>						
Point	4.2.29.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	72	2	Gîte - Grenier +2 <i>Charge</i>						
Point	4.2.34.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	14	2	Ferme OUEST - Chambre F014 +2						
Point	4.2.33.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	14	1	Ferme OUEST - Chambre F014						
Point	4.2.36.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	15	2	Ferme OUEST - Local technique+2						
Point	4.2.37.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	15	1	Ferme OUEST - Local technique+2						
Point	4.2.39.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	16	2	Ferme OUEST - Grenier +2						
Point	4.2.38.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	16	1	Ferme OUEST - Grenier +2						
Point	4.2.6.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	17	1	Ferme OUEST - Chambre F011						

Sensor checklist

2022



BOSCH

Customer name

Street

Contract number

Sensor type	Physical address	LSN type	Detector name	Logical group	Sub-address	Label	Remark	Floor No.	Qtr1	Qtr2	Qtr3	Qtr4
Point	4.2.5.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	18	1	Ferme OUEST - Chambre F012						
Point	4.2.4.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	19	1	Ferme OUEST - Chambre F013						
Point	4.2.3.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	20	2	Ferme OUEST - Séjour F016						
Point	4.2.2.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	20	1	Ferme OUEST - Séjour F016						
Point	4.2.40.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	46	1	Ferme SUD - Hall escalier +1						
Point	4.2.32.0	Stub (style 4)	FAP-O420/425, FAD-O420/425 - Optical smoke detector	47	1	Ferme SUD - Hall escalier +2						
NAC/Signaling circuit	5.1.2.0	Stub (style 4)	FNM-420-A/B Stand-alone Sounder	1	1	Ferme SUD - Hall RDC	Sirène					
NAC/Signaling circuit	5.1.3.0	Stub (style 4)	FNM-420-A/B Stand-alone Sounder	1	2	Gîte - Salon RDC	Sirène					
NAC/Signaling circuit	5.1.4.0	Stub (style 4)	FNM-420-A/B Stand-alone Sounder	1	3	Gîte - Hall RDC	Sirène					
NAC/Signaling circuit	5.1.6.0	Stub (style 4)	FNM-420-A/B Stand-alone Sounder	1	5	Ferme OUEST - Escalier +2	Sirène					
NAC/Signaling circuit	5.1.7.0	Stub (style 4)	FNM-420-A/B Stand-alone Sounder	1	8	Ferme SUD - Escalier +2	Sirène					
Point	5.2.12.0	Stub (style 4)	DM210/SM210/FMC- 210/FMC-420RW Manual call point	50	1	Gîte - Entrée RDC	Bouton poussoir					
Point	5.2.10.0	Stub (style 4)	DM210/SM210/FMC- 210/FMC-420RW Manual call point	51	1	Gîte - Escalier +1	Bouton poussoir					
Point	5.2.9.0	Stub (style 4)	DM210/SM210/FMC- 210/FMC-420RW Manual call point	52	1	Gîte - Chambre G22	Bouton poussoir					

Sensor checklist

2022



Contract number

Street

Customer name

Sensor type	Physical address	LSN type	Detector name	Logical group	Sub-address	Label	Remark	Floor No.	Qtr1	Qtr2	Qtr3	Qtr4
Interface module	5.2.13.0	Stub (style 4)	FLM-420-RLV1-D Relay Interface Module Low Voltage	1	0							
Point	5.2.11.0	Stub (style 4)	DM210/SM210/FMC-210/FMC-420RW Manual call point	53	1	Gîte - Hall +2	Bouton poussoir					
Point	5.2.21.0	Stub (style 4)	DM210/SM210/FMC-210/FMC-420RW Manual call point	30	1	Ferme SUD - Hall RDC	Bouton poussoir					
Point	5.2.24.0	Stub (style 4)	DM210/SM210/FMC-210/FMC-420RW Manual call point	31	1	Ferme SUD - Escalier +1	Bouton poussoir					
Point	5.2.27.0	Stub (style 4)	DM210/SM210/FMC-210/FMC-420RW Manual call point	32	1	Ferme SUD - Escalier +2	Bouton poussoir					
Point	5.2.26.0	Stub (style 4)	DM210/SM210/FMC-210/FMC-420RW Manual call point	10	1	Ferme OUEST - Grenier	Bouton poussoir					
Point	5.2.25.0	Stub (style 4)	DM210/SM210/FMC-210/FMC-420RW Manual call point	11	1	Ferme OUEST - Hall de nuit +1	Bouton poussoir					
Point	5.2.20.0	Stub (style 4)	DM210/SM210/FMC-210/FMC-420RW Manual call point	12	1	Ferme OUEST - Salle de conseil	Bouton poussoir					